

# Safety Data Sheet

# SDS No. 1086A

		SDS No. 1086A				
	Section 1 - Ch	emical Product and Company Identification				
General Use: S	ical Name: NOVO Silicone Solvent Smooth-On, Inc.,	CS® Matte				
	5600 Lower Macur Phone (610) 252-5	ngie Rd., Macungie, PA 18062 800, FAX (610) 252-6200				
Emergency Co	ntact: Chem-Tel Domestic: 800-25	5-3924 International: 813-248-0585				
	Se	ction 2 - Hazards Identification				
Flammab Acute aqu	of the substance of le liquids – Categor uatic toxicity – Cate lquatic toxicity – Ca	y 2 gory 1				
GHS Label ele	GHS Label elements, including precautionary statements					
$\Delta$						
Pictograms: Signal Word: [	Danger					
Physical Hazards:	H225	Highly flammable liquid and vapor				
Environmental Hazards:	H410	Very toxic to aquatic life with long lasting effects				
General Precautions:	P101	If medical advice is needed, have product container or label at hand.				
	P102	Keep out of reach of children.				
	P103	Read label before use.				
Prevention Precautions:	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
	P233	Keep container tightly closed.				
	P240	Ground and bond container and receiving equipment.				
	P241	Use explosion-proof electrical/ventilating/lighting equipment.				
	P242	Use non-sparking tools.				
	P243	Take action to prevent static discharges.				
	P273	Avoid release to the environment.				
	P280	Wear protective gloves/protective clothing/eye protection/face protection.				
Response Precautions:	P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.				
	P391	Collect spillage.				

Storage	P403 + P235	Store in a well-ventilated place. Keep co	ol.		
Precautions: Disposal Precautions:	P501	Dispose of contents/container according to local, state and federal laws.			
Hazards not ot	herwise classif	ied (HNOC) or not covered by GHS - nor	ne.		
Section 3 - Composition / Information on Ingredients					
The following i	ngredients are h	azardous according to OSHA criteria:			
CAS	Compone	ent	Concentration		
107-46-0	Hexame	hyldisiloxane	≤100%		
Section 4 - First Aid Measures					
<ul> <li>Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.</li> <li>Skin Contact: In case of skin contact, wash thoroughly with soap and water.</li> <li>Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.</li> <li>After first aid, get appropriate in-plant, paramedic, or community medical support.</li> </ul>					
,		Section 5 - Fire-Fighting Measures			
<ul> <li>Flammable Classification: Flammable</li> <li>Extinguishing Media: Water Fog, Alcohol-Resistant Foam, Dry Chemical, and Carbon Dioxide Foam</li> <li>Unusual Fire or Explosion Hazards: Fire burns more vigorously than would be expected. Vapors are heavier than air and can travel along ground to remote ignition sources. Electrostatic charges may be generated during transfer of product from its container. Ensure all equipment is electrically grounded.</li> <li>Fire-Fighting Instructions: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam.</li> <li>Further information: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.</li> </ul>					
		tion 6 - Accidental Release Measures			
<ul> <li>Spill /Leak procedures: Only properly protected personnel should remain in the spill area; dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.</li> <li>Environmental precautions: Prevent spillage from reaching drains and waterways. Volatile siloxanes rapidly evaporate into the atmosphere, where they degrade. The do not persist in water or soil.</li> </ul>					
Section 7 - Handling and Storage					
-	•	od general housekeeping procedures. Use Avoid skin contact. Avoid breathing vapor.	•		

**Storage Requirements:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous.

# Section 8 - Exposure Controls / Personal Protection

**Respiratory Protection:** Suitable respiratory protection should be worn when using this product in large quantities, or confined spaces. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

**Hand Protection:** Wear chemically resistant liquid-tight gloves such as butyl rubber, neoprene or PVC.

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

# **Section 9 - Physical and Chemical Properties**

Appearance : milky liquid Odor/Threshold: characteristic odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: -90.4 °F Low/High Boiling Point: 214 °F Flash Point: 33.1 °F Evaporation Rate: Not available Flammability: flammable UEL/LEL: 0.5%(V)/21.8%(V) Vapor Pressure: 33 mmHg @ 68 °F Vapor Density (Air=1): 5.61 Specific Gravity (H2O=1, at 4 °C): 0.76 Water Solubility: 0.0006 g/l Partition coefficient: log Pow: 4.76 Auto-ignition temperature: 665.6 °F Decomposition temperature: Not available Viscosity: < 1 centipoise % Volatile: 100%

# Section 10 - Stability and Reactivity

**Stability:** This product is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

**Chemical Incompatibilities:** Strong bases, strong acids, strong oxidizing agents. **Hazardous Decomposition Products:** No data available.

# **Section 11- Toxicological Information**

Skin Corrosion/Irritation: Mild skin irritation (rabbit, 24 h) Serious Eye Damage/Irritation: Mild eye irritation (rabbit, 24 h) Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: Not mutagenic in Ames Test (histidine reversion) **Carcinogenicity:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC; or as a carcinogen or potential carcinogen by ACGIH, NTP, or OSHA.

Reproductive Toxicity: no data

Specific Target Organ Toxicity – Single Exposure: no data

# Specific Target Organ Toxicity - Repeated Exposure: no data

Aspiration Hazard: no data

Acute Toxicity:

LC50 Oral: > 5,000 mg/kg (rat)

LC50 Inhalation: 106,000 mg/m<sup>3</sup> (rat, 4 h)

LD50 Dermal: >5,000 mg/kg (rabbit)

Chronic Exposure: no data

**Potential Health Effects – Miscellaneous:** Prolonged or repeated exposure to skin causes defatting and dermatitis. Dizziness. Stomach irregularities.

Section 12 - Ecological Information

#### Toxicity:

LC50 Oncorhynchus mykiss (rainbow trout) – 0.46 mg/l (96 h)

EC50 Daphnia magna (water flea) - no toxicity at the limit of solubility (24 h)

EC50 Pseudokirchneriella subcapitata (green algae) – 0.22 mg/l (95 h)

NOEC Pseudokirchneriella subcapitata (green algae) – 0.01 mg/l (70 h)

Persistence and Degradability: readily biodegradable

**Bioaccumulative Potential:** Bioconcentration Factor (BCF): 1,100 – 2,400 (OECD TG 305C) **Mobility in Soil:** no data

Other Adverse Effects: Very toxic to aquatic life with long lasting effects.

# Section 13 - Disposal Considerations

**Disposal:** Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

#### Section 14 - Transport Information

DOT

Proper shipping name:

Flammable liquids, n.o.s.

(hexamethyldisiloxane)

**UN:** 1993

HC: 3 PG: ||

Proper shipping name: Flammable liquids, n.o.s. (hexamethyldisiloxane) UN: 1993 HC: 3 PG: II

ΙΑΤΑ

#### IMDG .

Proper shipping name: Flammable liquids, n.o.s. (hexamethyldisiloxane) UN: 1993 HC: 3 PG: II EMS-No: F-E, S-E

# Section 15 - Regulatory Information

**TSCA Inventory Status (40 CFR 710):** All components of this formulation are listed in the TSCA Inventory.

**SARA 302 Components:** No chemicals in this material are subject to the reporting requirments of SARA Title III, Section 302.

SAR 313 Components: This material does not contain any chemical

### Right-To-Know Components:

CAS 107-46-0 Component Hexamethyldisiloxane

State NJ, PA

<u>California Proposition 65</u>: This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

#### 16 - Other Information





Revision: 1 Date Prepared: May 7, 2015

**Glossary:** ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act: ESL-Effects screening levels: GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus: STEL-Short Term Exposure Limit: TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.